


IS : 5694 - 1970
(Reaffirmed 2014)

Indian Standard

**SPECIFICATION FOR ENGINEERS'
DRAWING INSTRUMENTS, DOTTING PENS**

(First Reprint JULY 1982)

UDC 744.343.24



© Copyright 1971
INDIAN STANDARDS INSTITUTION
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

January 1971

MAX. RETAIL PRICE
₹130.00



AMENDMENT NO. 1 MARCH 1983

TO

IS:5694-1970 SPECIFICATION FOR ENGINEERS' DRAWING
INSTRUMENTS, DOTTING PENS

Alterations

(Page 3, clause 2.1) - Substitute the following
for the existing clause:

'2.1 The material for manufacture of drawing wheel and
its pin shall be steel having a carbon content 0.60 to
0.75 percent or a suitable grade of stainless steel.'

(Page 5, clause 5.1) - Substitute the following
for the existing clause:

'5.1 The drawing wheel shall be hardened and tempered
if made of carbon steel.'

Addendum

(Page 3, clause 2.3) - Add the following new
clause after 2.3:

'2.4 The wheel holder shall be of chromium plated
brass.'

(EDC 36)

Reprography Unit, ISI, New Delhi, India

Indian Standard

SPECIFICATION FOR ENGINEERS' DRAWING INSTRUMENTS, DOTTING PENS

Optical and Mathematical Instruments Sectional Committee, EDC 36

<i>Chairman</i>	<i>Representing</i>
DR C. S. RAO	The Andhra Scientific Co Ltd, Masulipatam
<i>Members</i>	
SHRI P. V. SUBBA RAO (<i>Alternate to</i> Dr C. S. Rao)	
SHRI A. ALVARES	All India Instrument Manufacturers and Dealers Association, Bombay
SHRI S. R. TALFADE (<i>Alternate</i>)	
MAJ P. S. BRAHMACHARIE	Ministry of Defence (DGI)
SHRI S. K. GUPTA (<i>Alternate</i>)	
SHRI R. R. CHAKRABORTY	The National Instruments Limited, Jadavpur
SHRI N. R. DAS GUPTA (<i>Alternate</i>)	
CHIEF HYDROGRAPHER (NAVY)	Indian Navy
DEPUTY DIRECTOR, STANDARDS (TRACK)	Research, Designs and Standards Organisation (Ministry of Railways), Lucknow
ASSISTANT DIRECTOR, STANDARDS (TRACK) (<i>Alternate</i>)	
SHRI S. K. GAUTAM	Quality Marked Goods Manufacturers' Co-operative Association Ltd, Roorkee
SHRI P. L. BHARDWAJ (<i>Alternate</i>)	
SHRI A. GHOSH	National Test House, Calcutta
DR P. K. KATTI	Ministry of Defence (R & D)
SHRI S. S. DHARMAYYA (<i>Alternate</i>)	
SHRI D. D. KHOSLA	Directorate of Industries, Government of Haryana, Chandigarh
COL K. L. KHOSLA	Survey of India, Dehra Dun
SHRI V. KRISHNAMOORTHY	Directorate General of Technical Development, New Delhi
SHRI D. MAJUMDAR	Development Commissioner, Small Scale Industries, (Ministry of Industrial Development, Internal Trade & Company Affairs), New Delhi
SHRI G. B. JAKHETIA (<i>Alternate</i>)	
SHRI B. R. MANIKRAJ	The Koh-i-Noor (India) Private Limited, Varanasi
LT-COL B. PAPANNA	Indian Army
DR J. PRASAD	Central Scientific Instruments Organisation (CSIR), Chandigarh
SHRI RAM SINGH (<i>Alternate</i>)	

(Continued on page 2)

INDIAN STANDARDS INSTITUTION
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

IS : 5694 - 1970

(Continued from page 1)

<i>Members</i>	<i>Representing</i>
SHRI PREM PRAKASH SHRI P. C. JAIN (<i>Alternate</i>) SHRI E. B. RAJDERKAR DR I. RAMAKRISHNA RAO	National Physical Laboratory (CSIR), New Delhi Raj-Der-Kar & Co, Bombay In personal capacity (<i>Tashniwal Instruments and Engineering Co, 10A Najafgarh Road, New Delhi 15</i>) Madras Institute of Technology, Madras Directorate General of Armed Forces Medical Services (<i>Ministry of Defence</i>) Central Public Works Department, New Delhi
PROF G. S. S. SARMA LT-COL G. S. SIHOTA SURVEYOR OF WORKS II (UNDER SUPERINTENDING SURVEYOR OF WORKS I) SHRI H. C. VERMA	Associated Instrument Manufacturers (India) Private Limited, New Delhi
SHRI J. A. UNVALA (<i>Alternate</i>) SHRI M. V. PATANKAR, Director (Mech Engg)	Director General, ISI (<i>Ex-officio Member</i>)
<i>Secretary</i>	
SHRI S. P. ABBEY	
Assistant Director (Mech Engg), ISI	

Drawing Instruments Subcommittee, EDC 36 : 1

<i>Convener</i>	
COL K. L. KHOSLA	Survey of India, Dehra Dun
<i>Members</i>	
SHRI A. K. BANERJEE SHRI R. R. CHAKRABORTY SHRI S. N. MITRA (<i>Alternate</i>) SHRI S. K. GAUTAM	Ministry of Defence (R & D) The National Instruments Limited, Jadavpur Quality Marked Goods Manufacturers' Co-operative Association Ltd, Roorkee
SHRI P. L. BHARDWAJ (<i>Alternate</i>) SHRI S. K. GUPTA SHRI G. D. BAKSHI (<i>Alternate</i>) SHRI V. KRISHNAMOORTHY	Ministry of Defence (DGI) Directorate General of Technical Development, New Delhi
SHRI P. K. MUKHERJEE SHRI D. L. MUKHERJEE (<i>Alternate</i>) SHRI PREM PRAKASH SHRI P. C. JAIN (<i>Alternate</i>) SHRI D. D. PURI	Raja Bahadur Motilal Poona Mills Ltd, Poona National Physical Laboratory (CSIR), New Delhi
SHRI P. C. SAXENA	Central Scientific Instruments Organisation (CSIR), Chandigarh Quality Marking Scheme, Directorate of Industries, Kanpur
SHRI H. R. GADI (<i>Alternate</i>)	

Indian Standard
**SPECIFICATION FOR ENGINEERS'
DRAWING INSTRUMENTS, DOTTING PENS**

0. FOREWORD

0.1 This Indian Standard was adopted by the Indian Standards Institution on 2 July 1970, after the draft finalized by the Optical and Mathematical Instruments Sectional Committee had been approved by the Mechanical Engineering Division Council.

0.2 Dotting pen is a drawing instrument used by the architects, engineers and draughtsmen for drawing dots of uniform thickness at regular intervals in ink.

0.3 This standard covers the requirements of dotting pen for drawing uniform dots or dashes or both at different regular intervals complying with the requirements of IS : 696-1960*.

0.4 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test, shall be rounded off in accordance with IS : 2-1960†. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

1. SCOPE

1.1 This standard covers the requirements of dotting pen having a handle and drawing wheels. The dotting pen should have the arrangement to interchange the wheels conveniently.

2. MATERIAL AND HARDNESS

2.1 The material for manufacture of drawing wheel shall be steel having a carbon content of 0.60 to 0.75 percent or a suitable grade of stainless steel.

2.2 The handle shall be made of light weight suitable material.

2.3 The drawing wheel shall have minimum hardness of 230 HV.

*Code of practice for general engineering drawings (revised).

†Rules for rounding off numerical values (revised).

IS : 5694 - 1970

3. DIMENSIONS

3.1 The dimensions for dotting pen shall be as shown in Fig. 1.

3.1.1 The figure is intended only to illustrate the dimensions and design details are left to the discretion of manufacturer so long as the specified dimensions are maintained.




FIG. 1 DIMENSIONS FOR DOTTING PEN

3.2 The threads on the dotting pen and in holder (if any) shall be M3.

3.3 The design of the drawing wheels shall be such as to comply with the requirements of the types of dotted lines specified in IS : 696-1960*.

4. GENERAL REQUIREMENTS

4.1 The nibs shall have a provision for interchangeability of different types of wheels with a screw.

5. WORKMANSHIP AND FINISH

5.1 The drawing wheel shall be hardened and tempered.

5.2 The handles shall be smooth and well-finished.

5.3 When the wheels are made from carbon steel, they shall be chromium plated according to Service Grade No. 2 of IS : 1068-1968†.

6. SCREWS

6.1 The different screws used with dotting pen shall conform to the requirements specified in IS : 3222 (Part I)-1966‡.

7. TESTS

7.1 **Dimensional Test** — The dotting pens shall be tested for conformity with the requirements of dimensions as specified in 3.1.

7.2 **Hardness Test** — The drawing wheel shall be tested for hardness as specified in 2.3.

7.3 **Functional Test** — The dotting pens shall be tested to ensure that they draw dots or dashes or both of uniform thickness and at regular intervals complying with the requirements of IS : 696-1960*.

8. MARKING

8.1 The dotting pens shall be marked with the manufacturer's name or trade-mark at a suitable place.

*Code of practice for general engineering drawings (revised).

†Specification for electroplated coatings of nickel and chromium on iron and steel (first revision).

‡Specification for instruments screw: Part I Fasteners for drawing instruments.

IS : 5694 - 1970

8.1.1 Dotting pens may also be marked with the ISI Certification Mark.

NOTE — The use of the ISI Certification Mark is governed by the provisions of the Indian Standards Institution (Certification Marks) Act and the Rules and Regulations made thereunder. The ISI Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well-defined system of inspection, testing and quality control which is devised and supervised by ISI and operated by the producer. ISI marked products are also continuously checked by ISI for conformity to that standard as a further safeguard. Details of conditions under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution.

9. PACKING

9.1 Dotting pens shall be first wrapped in paper and then packed in a suitable carton.

INTERNATIONAL SYSTEM OF UNITS (SI UNITS)

Base Units

Quantity	Unit	Symbol
Length	metre	m
Mass	kilogram	kg
Time	second	s
Electric current	ampere	A
Thermodynamic temperature	kelvin	K
Luminous intensity	candela	cd
Amount of substance	mole	mol

Supplementary Units

Quantity	Unit	Symbol
Plane angle	radian	rad
Solid angle	steradian	sr

Derived Units

Quantity	Unit	Symbol	Conversion
Force	newton	N	1 N = 1 kg.1 m/s ²
Energy	joule	J	1 J = 1 N.m
Power	watt	W	1 W = 1 J/s
Flux	weber	Wb	1 Wb = 1 V.s
Flux density	tesla	T	1 T = 1 Wb/m ²
Frequency	hertz	Hz	1 Hz = 1 c/s (s ⁻¹)
Electric conductance	siemens	S	1 S = 1 A/V
Pressure, stress	pascal	Pa	1 Pa = 1 N/m ²

INDIAN STANDARDS INSTITUTION

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

Telephones : 25 60 21, 27 01 31

Telegrams : Manaksanstha

Regional Offices:

		Telephone
Western : Novelty Chambers, Grant Road	BOMBAY 400007	37 97 29
Eastern : 5 Chowringhee Approach	CALCUTTA 700072	23-08 02
Southern : C. I. T. Campus, Adyar	MADRAS 600020	41 24 42

Branch Offices:

'Pushpak', Nurmohamed Shaikh Marg, Khanpur	AHMADABAD 380001	2 03 91
'F' Block, Unity Bldg. Narasimharaja Square	BANGALORE 560002	2 76 48
Gangotri Complex, Bhadbhada Road, T T. Nagar	BHOPAL 462003	6 27 16
2 nd E Kalpana Area	BHUBANESHWAR 751014	5 36 27
Ahimsa Bldg. SCO 82-83, Sector 17C	CHANDIGARH 160017	2 83 20
5 8 56C L. N. Gupta Marg	HYDERABAD 500001	22 10 83
D 277 Todarmal Marg, Banipark	JAIPUR 302006	6 98 32
117 418 B Sarvodaya Nagar	KANPUR 208005	8 12 72
Patliputra Industrial Estate	PATNA 800013	6 28 08
Hantex Bldg (2nd Floor), Rly Station Road	TRIVANORUM 695001	32 27

Reproduced by Reprography Unit, ISI, New Delhi